

elkuch[®] Flexible Bend

The flexible cable duct bend





During cable protection installations, unexpected situations can quickly arise. A required accessory may be missing, the installation route may change on site, or time pressure leaves little room for improvisation.

The elkuch® Flexible Bend provides a simple and reliable solution. The Flexible Bend can easily be shortened or extended on site to meet project-specific requirements using nothing more than a standard screwdriver. This eliminates unnecessary trips to the warehouse, reduces material waste and helps avoid costly installation delays.




Thanks to its sophisticated design, ease of installation and exceptional versatility, the elkuch® Flexible Bend has become the preferred choice for contractors, planners and engineers. For more than 25 years, professionals have relied on this robust and flexible system for demanding cable protection applications.

The Unique Modular Assembly System



- No material waste
- Modular sections can be extended or shortened as required
- The modular system can be bent and curved in three dimensions to suit virtually any installation route
- Only a standard screwdriver is required to separate the modular sections

Applications



- Protection of electrical cables
- Offset bends, goosenecks, S-bends, T-sections and many other configurations
- Expansion joints for bridge construction

Product features:

- UV-resistant
- Recyclable
- Manufactured to DIN 16876
- Resistant to fine sand and grout
- Colour: Black
- Material: PE

Accessories

Coupler

Slip
CouplerPlug-in
CouplerSpigot
End

Flexible Bend sold by the metre

The elkuch® Flexible Bend is available as a standard 45° and 90° bend with one Plug-in Coupler and one Spigot End, or as a modular system sold by the metre. A full range of accessories, including Couplers, Slip Couplers, Plug-in Couplers and Spigot Ends, is also available separately.